

Epidemiological Week No. 37 (8 - 14 Sep)

September 26/ Vol. 95/ DEWS 2007-37

## Contents

Reporting Units .....	2
Total number of consultations .....	2
DEWS Data, Epidemiological Week No. 37, 2007 .....	3
DEWS Data, Monthly Summary (Epidemiological Weeks No. 34-37) .....	4
Acute Watery Diarrhoea .....	5
Acute Jaundice Syndrome.....	6
Malaria .....	7
Acute Respiratory Infection .....	8
Other Reportable Diseases and Conditions .....	8
Outbreak Alert and Response .....	9
Number of reported cases and deaths per District, AJK .....	10
Number of reported cases and deaths per District, NWFP .....	11

Bagh: WHO Environmental Engineer taking water sample for quality testing  
Pictured by: Dr. Fawad Khan



## Highlights

- There were 302 cases of bloody diarrhoea reported in this week 37.
- Malaria cases increased from week 36 (W36=502 & W37=580)
- Acute watery diarrhoea cases decreased from week 36 (W36=8,996 & W37=8,101)
- An outbreak of acute watery diarrhea was identified in Gojra, Muzaffarabad. Interventions to contain the outbreak have been undertaken
- A second outbreak of acute watery diarrhea was identified in an area of Bagh city. Water tanks have been cleaned and health education been undertaken to contain the outbreak
- One suspected cases of meningitis was reported from Mansehra district.

The Weekly Morbidity and Mortality Report (WMMR) is published by the Ministry of Health of Pakistan (MOH) and the World Health Organization (WHO). The WMMR is built on surveillance data that health service providers and NGOs transmit on a weekly basis from health facilities and hospitals in those areas affected by the earthquake that struck Pakistan on 8 October 2005.

The WMMR objectives are to monitor the trend of health conditions over a period of time and provide vital information to all health partners. The WMMR is only a snapshot of the health conditions in those facilities where events are registered and data collected and does not necessarily reflect the situation from other health facilities.

The WMMR is a publication that has been developed for emergencies and previously used in other areas such as the Darfur Crisis.

The WMMR is produced with the financial support of AAI Australia, Americares, CIDA, Denmark, DFID, ECHO, Ireland, Italy, Japan, Korea, Monaco, Norway, SIDA, Slovak Republic, Switzerland, Turkey, USAID

EUROPEAN COMMISSION



Humanitarian Aid



AUSTRALIAN  
AID INTERNATIONAL



Canadian International  
Development Agency



Sida



The WMMR is published by the World Health Organization (WHO),  
Health Emergency Operation Centre, National Park Road, Chak Shehzad, Islamabad, Pakistan.  
For More Information, please contact:

Dorcas Taylor, Epidemiologist, WHO/EHA/Pakistan; [taylor@pak.emro.who.int](mailto:taylor@pak.emro.who.int) or  
Dr. Birjees Mazher Kazi, Chief, Public Health Laboratories Division, NIH MOH; [kazis@isb.paknet.com.pk](mailto:kazis@isb.paknet.com.pk) or  
WHO Webpage: <http://www.whopak.org/disaster>

### Reporting Units

The total number of reporting sites for the DEWS in the earthquake affected areas remains 315. 291 (87%) sent their surveillance data on time during the epidemiological week 37 (8-14 Sept 2007). See Table 1 for summary statistics.

Table 1. Reported health facilities by district, Earthquake Affected Areas, Pakistan, 18 Aug to 14 Sep 2007.

Area	Population	Reporting Health Facilities			
		18-24 Aug Week-34	25-31 Aug Week-35	1-7 Sep Week-36	8-14 Sep Week-37
Bagh	452,532	42	41	39	40
Battagram	592,256	30	34	30	34
Mansehra	1,154,804	71	70	71	71
Muzaffarabad	894,364	88	75	86	82
Poonch	633,712	61	54	66	64
<b>Total</b>	<b>3,727,668</b>	<b>292(87%)</b>	<b>274(82%)</b>	<b>292(87%)</b>	<b>291(87%)</b>

### Total number of consultations

The total number of units reporting decreased by 1 this week, over the previous week (from 293 units last week to 292 units this week), the total number of consultations reported throughout DEWS increased by 6% compared with the previous week (86,528 to 91,362). The weekly trend of reporting units participating in the DEWS and the number of consultations is shown in figure 1.




Figure 1. Weekly trend of reporting units and total number of consultations, Earthquake Affected Areas, Pakistan, 15 October 2005 - 14 Sep 2007.

**DEWS Data, Epidemiological Week No. 37, 2007**

During the last week (8 to 14 Sep, 2007), **91,362** consultations were reported through DEWS. Acute Respiratory Infections (**ARI**) accounted for **22%** (20,324) of consultations, which was 2 percentage points lower compared to the same week last year. Acute Watery Diarrhoea (**AWD**) was **9%** of consultations (8,101), **8%** (7,325) were due to Fever of Unknown Origin (**FUO**) and less than **1%** (134) due to Injuries (**INJ**). The **AWD** rate in patients under five years was 2 percentage points lower in week 36 of 2007 compared to the same week last year. In patients aged five and above, **AWD** made up **7%** of consultations which was 1 percentage points lower reported in the same week last year. All other reportable conditions each represented less than **1%** of the total consultations in week 36.




Figure 2. Proportion of primary causes for all reported cases, Earthquake Affected Areas, Pakistan, 8 - 14 Sep 2007.

\*OTH includes all other reportable conditions, plus all other consultations for conditions not under surveillance

**DEWS Data, Epidemiological Week No. 37, 2007: Consultations by age**

Children under five are estimated to make up approximately 20% of the population in the affected districts. However, when consultation rates in the under fives are compared across districts, Bagh district has a 22% of their consultations taking place in under fives, while the other districts range from 17 to 19%. See figure 3.




Figure 3: Rate of consultations in the under five age group, by district, Earthquake Affected Areas, Pakistan, 7-14 Sep 2007

**DEWS Data, Monthly Summary (Epidemiological Weeks No. 34-37)**

During the period, 18 Aug to 14 Sep, 2007 (Epidemiological weeks 34 to 37 inclusive), 147,703 consultations relating to health conditions under surveillance were reported, out of the total of 361,711 consultations. **21%** (76,629) of consultations were due to acute respiratory infection (**ARI**), **10%** (37,790) acute watery diarrhoea (**AWD**), **8%** (28,346) unexplained fever (**FUO**) and less than **1%** (786) Injuries (**INJ**).

Table 2. Comparison of the weekly distribution of reported cases, deaths and monthly Case Fatality Rate (CFR), Earthquake Affected Areas, Pakistan, 18 Aug – 14 Sep 2007.

Week	WEEK 34		WEEK 35		WEEK 36		WEEK 37		TOTAL		CFR%
Event	C	D	C	D	C	D	C	D	C	D	
<b>AWD</b>	10944	0	9749	1	8996	2	8101	1	<b>37790</b>	<b>4</b>	<b>0.011</b>
<b>BD</b>	468	0	372	0	387	0	302	0	<b>1529</b>	<b>0</b>	<b>0</b>
<b>AFP</b>	0	0	0	0	4	0	0	0	<b>4</b>	<b>0</b>	<b>0</b>
<b>MAL</b>	657	0	741	0	502	0	580	0	<b>2480</b>	<b>0</b>	<b>0</b>
<b>ARI</b>	18923	2	18745	0	18637	1	20324	4	<b>76629</b>	<b>7</b>	<b>0.009</b>
<b>MES</b>	0	0	0	0	4	0	0	0	<b>4</b>	<b>0</b>	<b>0</b>
<b>MEN</b>	0	0	0	0	0	0	1	1	<b>1</b>	<b>1</b>	<b>0</b>
<b>JAU</b>	29	0	27	0	42	0	35	0	<b>133</b>	<b>0</b>	<b>0</b>
<b>TET</b>	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>	<b>0</b>
<b>AHF</b>	0	0	0	0	0	0	1	0	<b>1</b>	<b>0</b>	<b>0</b>
<b>FUO</b>	6809	0	7188	0	7024	0	7325	0	<b>28346</b>	<b>0</b>	<b>0</b>
<b>INJ</b>	381	0	146	0	125	0	134	0	<b>786</b>	<b>0</b>	<b>0</b>
<b>OTH</b>	56275	25	52367	22	50807	11	54559	10	<b>214008</b>	<b>68</b>	<b>0.032</b>
<b>TOTAL</b>	<b>94486</b>	<b>27</b>	<b>89335</b>	<b>23</b>	<b>86528</b>	<b>14</b>	<b>91362</b>	<b>16</b>	<b>361711</b>	<b>80</b>	
<b>RU</b>	<b>292</b>		<b>274</b>		<b>293</b>		<b>292</b>				

C – Cases, D – Deaths, AWD - Acute Diarrhoea, BD - Bloody Diarrhoea, AFP - Acute Flaccid Paralysis, MAL – Malaria, ARI - Acute Respiratory Infection, MES – Measles, Men - Meningitis, JAU - Acute Jaundice Syndrome, TET - Neonatal Tetanus, AHF Acute Hemorrhagic Fever, FUO –Unexplained fever, INJ – Injuries, OTH – Others, RU – Reporting Units. Please note data from late reporting in previous weeks has been updated.

During the same reporting period, **69,200** consultations were reported in children less than 5 years of age, (19% of the total consultations), of which **ARI** was **29%** (19,861), **AWD** **17%** (11,610), **FUO** **9%** (5,939) and **INJ** was less than **1%** (181).

Table 3. Total number of reported cases, deaths and monthly Case Fatality Rate (CFR), less than 5 years old, Earthquake Affected Areas, Pakistan 18 Aug – 14 Sep 2007.

Week	WEEK 34		WEEK 35		WEEK 36		WEEK 37		TOTAL		CFR%
Event	C	D	C	D	C	D	C	D	C	D	
<b>AWD</b>	3415	0	2948	1	2705	1	2542	1	<b>11610</b>	<b>3</b>	<b>0.026</b>
<b>BD</b>	135	0	97	0	83	0	63	0	<b>378</b>	<b>0</b>	<b>0</b>
<b>AFP</b>	0	0	0	0	3	0	0	0	<b>3</b>	<b>0</b>	<b>0</b>
<b>MAL</b>	109	0	116	0	64	0	61	0	<b>350</b>	<b>0</b>	<b>0</b>
<b>ARI</b>	4809	1	4953	0	4840	1	5259	4	<b>19861</b>	<b>6</b>	<b>0.03</b>
<b>MES</b>	0	0	0	0	2	0	0	0	<b>2</b>	<b>0</b>	<b>0</b>
<b>MEN</b>	0	0	0	0	0	0	1	0	<b>1</b>	<b>0</b>	<b>0</b>
<b>JAU</b>	3	0	4	0	7	0	7	0	<b>21</b>	<b>0</b>	<b>0</b>
<b>TET</b>	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>	<b>0</b>
<b>AHF</b>	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>	<b>0</b>
<b>FUO</b>	1523	0	1509	0	1477	0	1430	0	<b>5939</b>	<b>0</b>	<b>0</b>
<b>INJ</b>	87	0	29	0	34	0	31	0	<b>181</b>	<b>0</b>	<b>0</b>
<b>OTH</b>	7680	8	7548	11	7791	5	7835	3	<b>30854</b>	<b>27</b>	<b>0.088</b>
<b>TOTAL</b>	<b>17761</b>	<b>9</b>	<b>17204</b>	<b>12</b>	<b>17006</b>	<b>7</b>	<b>17229</b>	<b>8</b>	<b>69200</b>	<b>36</b>	
<b>RU</b>	<b>292</b>		<b>274</b>		<b>293</b>		<b>292</b>				

There was an 11% decrease in the number of AWD cases from 8,996 to 8,101 since last week, but there was an increase in number of ARI cases from 18,637 to 20,324 since last week. The weekly proportion of ARI and AWD is shown in figure 4.




Figure 4. Weekly trend of percent of consultations for ARI and AWD, Earthquake Affected Areas, Pakistan, 15 October 2005 – 14 Sep 2007.

**Acute Watery Diarrhoea**

During week 37, there were 8,101 cases of AWD reported, out of which 2,542 (31%) of cases were in patients less than 5 years of age and 5,559 (69%) of cases were in patients 5 years of age group. There was one death reported from Muzaffarabad district. In week 37 of 2007, Battagram and Muzaffarabad districts have a much higher share of the AWD cases than they did in the same weeks of 2006. The breakdown of all AWD consultations by district is shown on figure 5.




Figure 5: AWD as a percent of all consultations by district, Earthquake Affected Areas, Pakistan, 9 – 15 September 2006 and 8 – 14 September 2007.

### Bloody Diarrhoea

During week 37, there were 302 suspected cases of bloody diarrhoea reported. There were no associated deaths reported from any district. In most districts, the rate of bloody diarrhoea is much lower in week 37 of 2007 than that seen in the same week of 2006, with the exception of Battagram and Poonch, districts where the rate is almost identical. See figure 6.




Figure 6: comparison of bloody diarrhoea as percentage of all consultations, Earthquake Affected Areas, Pakistan, Week-37 of 2006 and 2007.

### Acute Jaundice Syndrome

In week 37, there were 35 cases of suspected hepatitis reported out of which 13 cases from Battagram, 8 cases from Mansehra, 7 cases were reported from Muzaffarabad district, 6 cases reported from Bagh district, and 1 case reported from Poonch district. There were no associated deaths reported from any district. The rate of suspected hepatitis has been highest in Battagram over the last four weeks, though it is declining. Other districts have had fluctuations, but have generally remained fairly stable. See figure 7.




Figure 7: Suspected hepatitis as a percentage of all consultations, Earthquake Affected Areas, Pakistan, 11 Aug-7 Sep 2007.

**Malaria**

In week 37, there were 580 suspected cases of malaria reported, out of which 519 cases were in patients over five years of age and 61 in patients less than five years of age. There were no associated deaths reported from any district. The rate of malaria from weeks 34 to 37 in 2007 has been almost identical to that of 2006, with the exception of week 37, where in 2007 it is much lower than that seen in 2006. See figure 8.




Figure 8: Malaria percentage of all consultations, Earthquake Affected Areas, Pakistan, 19 Aug- 15 Sep 2006 and 18 Aug-14 Sep 2007.

**Measles**

There were no cases of measles reported in week 37. Though summer saw a large increase in the reported measles cases, the number has now once again decreased, with three of the last four weeks reporting no measles cases. See Figure 9.




Figure 9: Trend in measles cases, Earthquake Affected Areas, Pakistan, 31 Dec 2006 – 14 Sep, 2007

**Acute Respiratory Infection**

In week 37, there were 20,324 consultations for ARI reported through the DEWS system. There were 4 deaths reported this week out of which 3 deaths reported from Mansehra and 1 death reported from Muzaffarabad district. The rate of ARI has been consistently higher in 2007 than that seen in the same weeks of 2006. See Figure 10.




Figure 10: ARI as a percent of all consultations, Earthquake Affected Areas, Pakistan, 22 July- 15 Sep 2006 to 11 Aug-14 Sep 2007.

**Other Reportable Diseases and Conditions**

There were 7,325 cases of Fever of Unknown Origin (FUO) and 134 cases of injuries reported in week 37. There were no deaths reported from any district. There was 1 case of meningitis reported from Mansehra district. There were no cases of tetanus or hemorrhagic fever reported from any district in week 37. See figure 11.




Figure 11: Unexplained fever as a percentage of all consultations, Earthquake Affected Areas, Pakistan, 22 July -15 Sep 2006 and 21 July - 14 Sept 2007

## Outbreak Alert and Response<sup>1</sup>

### Acute Water Diarrhoea

#### Bagh

DHQ hospital Bagh reported a case of acute watery diarrhoea on 10<sup>th</sup> September 2007. The patient was resident of Bagh city. A stool sample was taken and sent to NIH for laboratory confirmation. On active surveillance it was found that the community uses an unprotected natural spring for their water, taken from an uncovered reservoir that was in very poor condition. The water sources were tested. No further cases were identified in the family and the locality. The local community and watsan working group partners were mobilized to clean the tank, and local government was requested to take measures to protect the water source. Hygiene education on safe drinking water, proper disposal of waste and hand washing was given to the family and the local community.

#### Muzaffarabad

On Sunday 09-09-2007 District Health Officer Muzaffarabad informed WHO about four cases of Acute Watery Diarrhoea admitted to AIMS hospital Muzaffarabad

WHO surveillance team visited AIMS on same day and investigated the cases. According to the medical officer on duty in A&E there were actually six cases received with severe dehydration complaining of watery diarrhoea and vomiting.

On further investigation it became clear that there was clustering of the cases coming from Gojra, although there were two cases from other areas.

On the same evening again an alert was received from the Paediatric ward of the AIMS hospital about four more cases of suspected acute watery diarrhoea admitted to the ward.

The WHO team visited the paediatric ward of the AIMS hospital on next day. In the hospital there were five more cases from the area of Gojra, so that became evident that there is clustering of the cases in Gojra.

Stool samples were collected from four different patients and were sent to NIH Labs Islamabad, for culture and sensitivity.

On active surveillance it was found that people were using water from a spring stored in a tank which was then channelled by municipal water supply pipelines. The WHO surveillance team inspected the tanks and pipelines. The tank was very dirty and needed cleaning on an urgent basis. Water samples were collected from different sources and were taken to the water quality testing lab at Muzaffarabad.

The water supply from the mentioned tank was stopped immediately keeping in view the population density in Gojra. The municipal tanks and pipelines were cleaned under the supervision of the WHO Environmental Health Engineer. An alternate water supply source was provided to the dependant population by the public health engineering section of the government. For the permanent solution the spring protection should be considered by the concerned departments, and the installation of a filtration plant to the water tank has been planned.

Health and hygiene education has been undertaken, focusing on boiling the drinking water & hand washing after toilet use. Local radio stations have been broadcasting health promotion messages to the community.

### Meningitis

#### Mansehra

DHQ hospital Mansehra reported a case suspected meningitis. The patient was 9 months old male child resident of Lassan Nawab Shergarh, Mansehra admitted in DHQ hospital with complaints of fever and fits, child was on antibiotic and improved now. On active surveillance no other case was found in the area.

<sup>1</sup> Outbreak Investigation and response of Suspected Viral Hepatitis, Malaria, and Bloody Diarrhoea and Watery Diarrhoea would only take place when a cluster of cases is identified or there is an increase in the incidence of the disease.

(Note: Single death due to Diarrhoea and single case of reported severe dehydration among >5 years would be investigated)

**Number of reported cases and deaths per District, AJK**Table 6. Number of reported cases and deaths, **Bagh District\***, Earthquake Affected Areas, Pakistan, 18 Aug -14 Sep 2007.

Week	AWD		BD		AFP		MAL		ARI		MEA		MEN		JAU		TET		AHF		UXF		INJ		OTH	
	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D
34	1145	0	25	0	0	0	107	0	2130	0	0	0	0	0	11	0	0	0	0	0	341	0	0	0	11694	8
35	858	0	25	0	0	0	92	0	1851	0	0	0	0	0	7	0	0	0	0	0	270	0	0	0	9333	5
36	826	0	11	0	1	0	88	0	1931	0	1	0	0	0	5	0	0	0	0	0	182	0	0	0	10141	2
37	816	0	21	0	0	0	131	0	2276	0	0	0	0	0	6	0	0	0	0	0	251	0	0	0	11725	3
<b>Total</b>	<b>3645</b>	<b>0</b>	<b>82</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>418</b>	<b>0</b>	<b>8188</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>29</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1044</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>42893</b>	<b>18</b>

Table 7. Number of reported cases and deaths, **Poonch District\***, Earthquake Affected Areas, Pakistan, 18 Aug -14 Sep 2007.

Week	AWD		BD		AFP		MAL		ARI		MEA		MEN		JAU		TET		AHF		UXF		INJ		OTH	
	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D
34	2344	0	40	0	0	0	194	0	3437	1	0	0	0	0	0	0	0	0	0	0	2119	0	0	0	7416	4
35	2050	0	34	0	0	0	269	0	2940	0	0	0	0	0	0	0	0	0	0	0	1817	0	0	0	7179	3
36	2089	0	24	0	0	0	238	0	3226	0	1	0	0	0	2	0	0	0	0	0	1658	0	0	0	7419	1
37	1903	0	20	0	0	0	211	0	3754	0	0	0	0	0	1	0	0	0	1	0	1902	0	0	0	7992	3
<b>Total</b>	<b>8386</b>	<b>0</b>	<b>118</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>912</b>	<b>0</b>	<b>13357</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>7496</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>30006</b>	<b>11</b>

Table 8. Number of reported cases and deaths, **Muzaffarabad District\***, Earthquake Affected Areas, Pakistan, 18 Aug -14 Sep 2007.

Week	AWD		BD		AFP		MAL		ARI		MEA		MEN		JAU		TET		AHF		UXF		INJ		OTH	
	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D
34	4125	1	253	0	0	0	239	0	7675	0	0	0	0	0	3	0	0	0	0	0	2879	0	373	0	17579	9
35	3455	1	175	0	0	0	131	0	8068	0	0	0	0	0	3	0	0	0	0	0	3286	0	69	0	15310	11
36	3411	2	226	0	0	0	103	0	8391	1	1	0	0	0	4	0	0	0	0	0	3281	0	125	0	13835	4
37	2544	1	130	0	0	0	130	0	8298	1	0	0	0	1	7	0	0	0	0	0	3277	0	125	0	13847	2
<b>Total</b>	<b>13535</b>	<b>5</b>	<b>784</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>603</b>	<b>0</b>	<b>32432</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>17</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>12723</b>	<b>0</b>	<b>692</b>	<b>0</b>	<b>60571</b>	<b>26</b>

**Number of reported cases and deaths per District, NWFP**Table 9. Number of reported cases and deaths, **Battagram District\***, Earthquake Affected Areas, Pakistan, 18 Aug -14 Sep 2007.

Week	AWD		BD		AFP		MAL		ARI		MEA		MEN		JAU		TET		AHF		UXF		INJ		OTH	
	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D
34	1142	0	126	0	0	0	60	0	1449	0	0	0	0	0	9	0	0	0	0	0	437	0	8	0	4159	0
35	1238	0	126	0	0	0	187	0	1616	0	0	0	0	0	15	0	0	0	0	0	598	0	12	0	4998	0
36	1000	0	103	0	0	0	54	0	1478	0	0	0	0	0	17	0	0	0	0	0	529	0	0	0	3670	0
37	1229	0	105	0	0	0	53	0	1885	0	0	0	0	0	13	0	0	0	0	0	684	0	9	0	4873	0
<b>Total</b>	<b>4609</b>	<b>0</b>	<b>460</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>354</b>	<b>0</b>	<b>6428</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>54</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2248</b>	<b>0</b>	<b>29</b>	<b>0</b>	<b>17700</b>	<b>0</b>

Table 10. Number of reported cases and deaths, **Mansehra District\***, Earthquake Affected Areas, Pakistan, 18 Aug -14 Sep 2007.

Week	AWD		BD		AFP		MAL		ARI		MEA		MEN		JAU		TET		AHF		UXF		INJ		OTH	
	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D
34	2188	0	24	0	0	0	57	0	4232	1	0	0	0	0	6	0	0	0	0	0	1033	0	0	0	15427	4
35	2148	0	12	0	0	0	62	0	4270	0	0	0	0	0	2	0	0	0	0	0	1217	0	65	0	15547	3
36	1670	0	23	0	3	0	26	0	3611	0	1	0	0	0	14	0	0	0	0	0	1374	0	0	0	15742	3
37	1609	0	26	0	0	0	55	0	4111	3	0	0	1	0	8	0	0	0	0	0	1211	0	0	0	16122	2
<b>Total</b>	<b>7615</b>	<b>0</b>	<b>85</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>200</b>	<b>0</b>	<b>16224</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>30</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4835</b>	<b>0</b>	<b>65</b>	<b>0</b>	<b>62838</b>	<b>12</b>